

DEEP CLEANER

Page: 1 Compilation date: 06/05/2018 Revision date: 06/5/2018

Revision No: 4

1.1. Product identifier					
Product name:	DEEP CLEANER				
Use of substance / mixture:	Specialist surface pre-treatment and very heavy duty degreasent.				
Product Code:	PTDC139				
1.2. Relevant identified uses of th	e substance or mixture and uses advised against				
1.3. Details of the supplier of the	safety data sheet				
Company name:	TALASEY LIMITED BELTON ROAD SANDTOFT BELTON DONCASTER DN8 5SX				
Tel:	0330 333 8030				
Email:	info@talasey.co.uk				
1.4. Emergency telephone numbe	r				
Emergency tel:	0330 333 8030				
(office hours only)					
Section 2: Hazards identification					
2.1. Classification of the substance					
2.1. Classification of the substant					
2.1. Classification of the substant	ce or mixture Corr. 1A: H314; Eye Dam. 1: H318				
2.1. Classification of the substand Classification under CLP: Skin	ce or mixture Corr. 1A: H314; Eye Dam. 1: H318				
2.1. Classification of the substand Classification under CLP: Skin Most important adverse effects: Caus	ce or mixture Corr. 1A: H314; Eye Dam. 1: H318				
2.1. Classification of the substand Classification under CLP: Skin Most important adverse effects: Caus 2.2. Label elements Label elements:	ce or mixture Corr. 1A: H314; Eye Dam. 1: H318				
2.1. Classification of the substand Classification under CLP: Skin Most important adverse effects: Caus 2.2. Label elements Label elements:	Corr. 1A: H314; Eye Dam. 1: H318 Sees serious eye damage. B: Causes serious eye damage.				
2.1. Classification of the substand Classification under CLP: Skin Most important adverse effects: Caus 2.2. Label elements Label elements: Hazard statements: H318 Hazard pictograms: GHS	Corr. 1A: H314; Eye Dam. 1: H318 Sees serious eye damage. B: Causes serious eye damage.				
2.1. Classification of the substand Classification under CLP: Skin Most important adverse effects: Caus 2.2. Label elements Label elements: Hazard statements: H318 Hazard pictograms: GHS	Corr. 1A: H314; Eye Dam. 1: H318 ses serious eye damage. 3: Causes serious eye damage. 105: Corrosion				
2.1. Classification of the substand Classification under CLP: Skin Most important adverse effects: Caus 2.2. Label elements Label elements: Hazard statements: H318 Hazard pictograms: GHS	Corr. 1A: H314; Eye Dam. 1: H318 sees serious eye damage. 3: Causes serious eye damage. 405: Corrosion Corrosion Corrosion				
2.1. Classification of the substand Classification under CLP: Skin Most important adverse effects: Caus 2.2. Label elements Label elements: Hazard statements: H318 Hazard pictograms: GHS Signal words: Dang Precautionary statements: P102	Corr. 1A: H314; Eye Dam. 1: H318 sees serious eye damage. 3: Causes serious eye damage. 405: Corrosion Corrosion Corrosion				



# DEEP CLEANER

Page: 2

P280: Wear protective gloves/protective clothing/eye protection/face protection.
P301+330+331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P303+361+353: IF ON SKIN (or hair): Take off immediately all contaminated clothing.
Rinse skin with water/shower.
P304+340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+313: If eye irritation persists: Get medical advice/attention.

P314: Get medical advice/attention if you feel unwell.

2.3. Other hazards

Other hazards: Irritating to eyes. Irritating to skin.

PBT: This product is not identified as a PBT/vPvB substance.

# Section 3: Composition/information on ingredients

3.2. Mixtures

## Hazardous ingredients:

ISOTRIDECANOL ETHOXYLATE (EO 6 - 20)

EINECS	CAS	PBT / WEL	CLP Classification	Percent
-	24938-91-8	- Acute Tox. 4: H302+332; Eye Dam. 1:		2.000%
			H318	

SODIUM HYDROXIDE

215-185-5	1310-73-2	-	Skin Corr. 1A: H314	1.600%		
QUATERNARY	QUATERNARY C12-14 ALKYL METHYLE AMINE ETHOXYLATE METHYL CHLORIDE					

-	863679-20-3	-	Acute Tox. 4: H302; Skin Irrit. 2: H315;	1.000%	I
			Eye Dam. 1: H318		l

### Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin.

Drench the affected skin with running water for 10 minutes or longer if substance is still

on skin. Transfer to hospital if there are burns or symptoms of poisoning.

**Eye contact:** Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination.

Ingestion: Wash out mouth with water. Do not induce vomiting. Give 1 cup of water to drink every 10 minutes. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. Transfer to hospital as soon as possible.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. If



# DEEP CLEANER

**Page:** 3

unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as possible.

### 4.2. Most important symptoms and effects, both acute and delayed

Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate.

Eye contact: Corneal burns may occur. May cause permanent damage.

**Ingestion:** Corrosive burns may appear around the lips. Blood may be vomited. There may be bleeding from the mouth or nose.

**Inhalation:** There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

### Section 5: Fire-fighting measures

### 5.1. Extinguishing media

Immediate / special treatment: Eye bathing equipment should be available on the premises.

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray

to cool containers.

### 5.2. Special hazards arising from the substance or mixture

Exposure hazards: Corrosive. In combustion emits toxic fumes.

#### 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

#### Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Notify the police and fire brigade immediately. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Turn leaking containers leak-side up to prevent the escape of liquid.

### 6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

### 6.3. Methods and material for containment and cleaning up

**Clean-up procedures:** Clean-up should be dealt with only by qualified personnel familiar with the specific substance. Absorb into dry earth or sand. Transfer to a closable, labelled salvage

container for disposal by an appropriate method.



DEEP CLEANER

Page: 4

#### 6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

# Section 7: Handling and storage

#### 7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Do not handle in a confined space. Avoid the formation or spread of mists in the air.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

#### Section 8: Exposure controls/personal protection

### 8.1. Control parameters

Specific end use(s): CLEANER FOR THE REMOVAL OF CONTAMINANTS FROM HARD SURFACES

#### Hazardous ingredients:

#### SODIUM HYDROXIDE

#### Workplace exposure limits:

# **Respirable dust**

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	-	2 mg/m3	-	-

**DNEL/PNEC** Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.

Hand protection: Impermeable gloves.

Eye protection: Tightly fitting safety goggles. Ensure eye bath is to hand.

Skin protection: Impermeable protective clothing.

# **Section 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Yellow

Odour: Barely perceptible odour

Evaporation rate: Negligible

Oxidising: No data available.



DEEP CLEANER

Page: 5

Solubility in water: Soluble Viscosity: Non-viscous Boiling point/range°C: aprox 100c Flammability limits %: lower: No data available. Flash point°C: >93 Autoflammability°C: No data available.

Relative density: 1.02

VOC g/l: 140

Melting point/range°C: No data available. upper: No data available. Part.coeff. n-octanol/water: No data available. Vapour pressure: No data available.

**pH:** >11.5

9.2. Other information

#### Section 10: Stability and reactivity

#### 10.1. Reactivity

Other information: No data available.

Reactivity: Stable under recommended transport or storage conditions.

#### 10.2. Chemical stability

#### 10.3. Possibility of hazardous reactions

Chemical stability: Stable under normal conditions.

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

### 10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

#### 10.6. Hazardous decomposition products

Materials to avoid: Strong oxidising agents. Strong acids.

Haz. decomp. products: In combustion emits toxic fumes.

## Section 11: Toxicological information

## 11.1. Information on toxicological effects

#### Hazardous ingredients:

#### SODIUM HYDROXIDE

IPR	MUS	LD50	40	mg/kg
ORL	RBT	LDLO	500	mg/kg



DEEP CLEANER

Page: 6

#### Relevant hazards for product:

Hazard	Route	Basis	
Skin corrosion/irritation	DRM	Hazardous: calculated	
Serious eye damage/irritation	OPT	Hazardous: calculated	

#### Symptoms / routes of exposure

Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate.

Eye contact: Corneal burns may occur. May cause permanent damage.

**Ingestion:** Corrosive burns may appear around the lips. Blood may be vomited. There may be bleeding from the mouth or nose.

Inhalation: There may be shortness of breath with a burning sensation in the throat. Exposure may

cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

### Section 12: Ecological information

12.1. Toxicity

#### Hazardous ingredients:

### **ISOTRIDECANOL ETHOXYLATE (EO 6 - 20)**

Daphnia magna Acute	48H EC50	1-100	mg/l
FISH Acute	96H LC50	1-100	mg/l

12.2. Persistence and degradability

#### Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

# 12.5. Results of PBT and vPvB assessment

Mobility: Readily absorbed into soil.

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

#### Section 13: Disposal considerations

### 13.1. Waste treatment methods

Other adverse effects: Negligible ecotoxicity.

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal

company.

Disposal of packaging: Clean with water.



# DEEP CLEANER

Page: 7

NB: The user's attention is drawn to the possible existence of regional or national

Marine pollutant: No

regulations regarding disposal.

# Section 14: Transport information

### 14.1. UN number

UN number: N/A

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

14.5. Environmental hazards

Shipping name: "NOT SUBJECT TO ADR"

Environmentally hazardous: No

14.6. Special precautions for user

Section 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Special precautions: No special precautions.

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

#### Section 16: Other information

# Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No

2015/830.

\* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: H302: Harmful if swallowed.

H302+332: Harmful if swallowed or if inhaled.

H314: Causes severe skin burns and eye damage.

H315: Causes skin irritation.

H318: Causes serious eye damage.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive

and shall be used only as a guide. This company shall not be held liable for any

damage resulting from handling or from contact with the above product.