

RUST REMOVER

 Page: 1

 Compilation date:
 06/05/2018

 Revision date:
 06/05/2019

2.1. Classification of the substance or mixture Classification under CLP: Skin Corr. 1B: H314	1.1. Product identifier		
Product Code: DC136 1.2. Relevant identified uses of the substance or mixture and uses advised against 1.3. Details of the supplier of the safety data sheet Company name: TALASEY LIMITED BELTON ROAD SANDTOFT BELTON ROAD SANDTOFT BELTON DONCASTER DN8 SSX Tel: 0330 333 8030 contaster 1.4. Emergency telephone number 0300 333 8030 (office hours only) eetion 2: Hazards identification Classification of the substance or mixture 0 2.1. Classification of the substance or mixture 0 Classification under CLP: Skin Corr. 1B: H314 st important adverse effects: cause severe skin burns and eye damage. 2.1. Label elements: Label elements: Hazard statements: H314: Causes severe skin burns and eye damage.	Product name:	RUST REMOVER	
1.2. Relevant identified uses of the substance or mixture and uses advised against 1.3. Details of the supplier of the safety data sheet Company name: TALASEY LIMITED BELTON ROAD SANDTOFT BELTON NOAD SANDTOFT BELTON DONCASTER DN8 5SX Tel: 0330 333 8030 Email: info@talasey.co.uk 1.4. Emergency telephone number Emergency telephone number ection 2: Hazards identification coffice hours only) ection 2: Hazards identification 21. Classification of the substance or mixture Classification under CLP: Skin Corr. 1B: H314 ist important adverse effects: Causes severe skin burns and eye damage. 2. Label elements: Hazard statements: H314: Causes severe skin burns and eye damage.	Use of substance / mixture:	Specialist surface pre-treatment and Rust remover	
1.3. Details of the supplier of the safety data sheet Company name: TALASEY LIMITED BELTON ROAD SANDTOFT BELTON ROAD SANDTOFT BELTON DONCASTER DN8 5SX Tel: 0330 333 8030 Email: info@talasey.co.uk 1.4. Emergency telephone number Emergency telephone number Coffice hours only) ection 2: Hazards identification 2.1. Classification of the substance or mixture Classification under CLP: Skin Corr. 1B: H314 ost important adverse effects: Causes severe skin burns and eye damage. 2.2. Label elements: Label elements: Hazard statements: H314: Causes severe skin burns and eye damage.	Product Code:	DC136	
Company name: TALASEY LIMITED BELTON ROAD SANDTOFT BELTON ROAD SANDTOFT BELTON DONCASTER DN8 5SX Tel: 0330 333 8030 Email: info@talasey.co.uk 1.4. Emergency telephone number Emergency telephone number Emergency telephone number 2.1. Classification of the substance or mixture Classification under CLP: Skin Corr. 1B: H314 st important adverse effects: Causes severe skin burns and eye damage. 2.2. Label elements: Label elements: Hazard statements: H314: Causes severe skin burns and eye damage.	1.2. Relevant identified uses of	the substance or mixture and uses advised against	
BELTON ROAD SANDTOFT BELTON DONCASTER DN8 5SX Tel: 0330 333 8030 Email: info@talasey.co.uk 14. Emergency telephone number Emergency tel: 0330 333 8030 (office hours only) ection 2: Hazards identification consisting the substance or mixture 2.1. Classification of the substance or mixture Classification under CLP: Skin Corr. 1B: H314 ost important adverse effects: Causes severe skin burns and eye damage. 2.2. Label elements: Label elements: H314: Causes severe skin burns and eye damage.	1.3. Details of the supplier of the	e safety data sheet	
Email: info@talasey.co.uk 1.4. Emergency telephone number Emergency tel: 0330 333 8030 (office hours only) ection 2: Hazards identification 2.1. Classification of the substance or mixture Classification under CLP: Skin Corr. 1B: H314 ost important adverse effects: Causes severe skin burns and eye damage. 2.2. Label elements Label elements: Hazard statements: H314: Causes severe skin burns and eye damage.	Company name:	BELTON ROAD SANDTOFT BELTON DONCASTER	
1.4. Emergency telephone number Emergency tel: 0330 333 8030 (office hours only) ection 2: Hazards identification 2.1. Classification of the substance or mixture Classification under CLP: Skin Corr. 1B: H314 ost important adverse effects: Causes severe skin burns and eye damage. 2.2. Label elements Label elements: Hazard statements: H314: Causes severe skin burns and eye damage.	Tel: 0330 333 8030		
Emergency tel: 0330 333 8030 (office hours only) ection 2: Hazards identification 2.1. Classification of the substance or mixture Classification under CLP: Skin Corr. 1B: H314 ost important adverse effects: Causes severe skin burns and eye damage. 2.2. Label elements Label elements: Hazard statements: H314: Causes severe skin burns and eye damage.	Email	: info@talasey.co.uk	
(office hours only) ection 2: Hazards identification 2.1. Classification of the substance or mixture Classification under CLP: Skin Corr. 1B: H314 ost important adverse effects: Causes severe skin burns and eye damage. 2.2. Label elements Label elements: Hazard statements: H314: Causes severe skin burns and eye damage.	1.4. Emergency telephone numl	ber	
ection 2: Hazards identification 2.1. Classification of the substance or mixture Classification under CLP: Skin Corr. 1B: H314 ost important adverse effects: Causes severe skin burns and eye damage. 2.2. Label elements Label elements: Hazard statements: H314: Causes severe skin burns and eye damage.	Emergency tel:	0330 333 8030	
Classification under CLP: Skin Corr. 1B: H314 ost important adverse effects: Causes severe skin burns and eye damage. 2.2. Label elements Label elements: Hazard statements: H314: Causes severe skin burns and eye damage.		(office hours only)	
Classification under CLP: Skin Corr. 1B: H314 ost important adverse effects: Causes severe skin burns and eye damage. 2.2. Label elements Label elements: Hazard statements: H314: Causes severe skin burns and eye damage.	ection 2: Hazards identification	on la	
est important adverse effects: Causes severe skin burns and eye damage. 2.2. Label elements Label elements: Hazard statements: H314: Causes severe skin burns and eye damage.	2.1. Classification of the substa	nce or mixture	
2.2. Label elements Label elements: Hazard statements: H314: Causes severe skin burns and eye damage.	Classification under CLP: Sk		
Label elements: Hazard statements: H314: Causes severe skin burns and eye damage.	ost important adverse effects: Ca	uses severe skin burns and eye damage.	
Hazard statements: H314: Causes severe skin burns and eye damage.			
	Label elements:		
Hazard pictograms: GHS05: Corrosion	Hazard statements: H314: Causes severe skin burns and eye damage.		
LE P	Hazard pictograms: G⊦	IS05: Corrosion	
	<		

Signal words: Danger

Precautionary statements: P102: Keep out of reach of children.

P262: Do not get in eyes, on skin, or on clothing.

P280: Wear protective gloves/protective clothing/eye protection/face protection.



RUST REMOVER

Page: 2

P260: Do not breathe dust/fumes/gas/mist/vapours/spray.
P301+330+331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P303+361+353: IF ON SKIN (or hair): Take off immediately all contaminated clothing.
Rinse skin with.
P304+340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P315: Get immediate medical advice/attention.
P405: Store locked up.
P308+313: IF exposed or concerned: Get medical advice.

2.3. Other hazards

Section 3: Composition/information on ingredients

3.2. Mixtures

PBT: This product is not identified as a PBT/vPvB substance.

Hazardous ingredients:

ORTHOPHOSPHORIC ACID

EINECS	CAS	PBT / WEL	CLP Classification	Percent
231-633-2	7664-38-2	-	Skin Corr. 1B: H314	30.000%

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin.

Drench the affected skin with running water for 10 minutes or longer if substance is still

on skin. Transfer to hospital if there are burns or symptoms of poisoning.

- **Eye contact:** Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination.
 - Ingestion: Wash out mouth with water. Do not induce vomiting. Give 1 cup of water to drink every 10 minutes. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. Transfer to hospital as soon as possible.
 - Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. If unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as possible.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate. **Eye contact:** Corneal burns may occur. May cause permanent damage.



RUST REMOVER

Page: 3

Ingestion: Corrosive burns may appear around the lips. Blood may be vomited. There may be bleeding from the mouth or nose.

Inhalation: There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Section 5: Fire-fighting measures

5.1. Extinguishing media

Immediate / special treatment: Eye bathing equipment should be available on the premises.

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray

to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: Corrosive. In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Notify the police and fire brigade immediately. If outside keep bystanders upwind and

away from danger point. Mark out the contaminated area with signs and prevent access

to unauthorised personnel. Do not attempt to take action without suitable protective

clothing - see section 8 of SDS. Turn leaking containers leak-side up to prevent the

escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Clean-up should be dealt with only by qualified personnel familiar with the specific substance. Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Do not handle in a confined space. Avoid the formation or spread of mists in the air.



RUST REMOVER

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Section 8: Exposure controls/personal protection

8.1. Control parameters

Specific end use(s): Acid cleaner.

Hazardous ingredients:

ORTHOPHOSPHORIC ACID...100%

Workplace exposure limits:

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	1 mg/m3	2 mg/m3	-	-

Respirable dust

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.

Hand protection: Impermeable gloves. The most suitable glove must be chosen in consultation with the

gloves supplier, who can inform about the breakthrough time of the glove material.

Eye protection: Tightly fitting safety goggles. Ensure eye bath is to hand.

Skin protection: Impermeable protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties	
State: Liquid	
Colour: Colourless	
Odour: Characteristic odour	
Evaporation rate: Negligible	
Oxidising: No data available.	
Solubility in water: Soluble	
Viscosity: Non-viscous	
Boiling point/range°C: No data available.	Melting point/range°C: No data available.
Flammability limits %: lower: No data available.	upper: No data available.
Flash point°C: No data available.	Part.coeff. n-octanol/water: No data available.
Autoflammability°C: No data available.	Vapour pressure: No data available.
Relative density: 1.127	pH: 1-2
VOC g/l: No data available.	[cont



RUST REMOVER

Page: 5

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

10.2. Chemical stability

Reactivity: Stable under recommended transport or storage conditions.

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

10.6. Hazardous decomposition products

Materials to avoid: Strong oxidising agents. Strong acids.

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

ORTHOPHOSPHORIC ACID...100%

ORL RAT LD50 1530 mg/kg

Relevant hazards for product:

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate.

Eye contact: Corneal burns may occur. May cause permanent damage.

Ingestion: Corrosive burns may appear around the lips. Blood may be vomited. There may be bleeding from the mouth or nose.

Inhalation: There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.



RUST REMOVER

Page: 6

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values: No data available.

12.2. Persistence and degradability

12.3. Bioaccumulative potential

Persistence and degradability: Biodegradable.

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

12.5. Results of PBT and vPvB assessment

Mobility: Readily absorbed into soil.

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Section 13: Disposal considerations

13.1. Waste treatment methods

Other adverse effects: Negligible ecotoxicity.

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal

company.

Disposal of packaging: Dispose of in a regulated landfill site or other method for hazardous or toxic wastes.

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

Section 14: Transport information

14.1. UN number

UN number: UN1805

14.2. UN proper shipping name

14.3. Transport hazard class(es)

Shipping name: PHOSPHORIC ACID, SOLUTION

Transport class: 8

14.4. Packing group

14.5. Environmental hazards

Packing group: III

Environmentally hazardous: No

Marine pollutant: No



RUST REMOVER

Page: 7

14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: E

Transport category: 3

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

Section 16: Other information

Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830.

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: H314: Causes severe skin burns and eye damage.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive

and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.